



GROUP

# PIPES, FITTINGS & FLANGES. OUR TALENT

FITTINGS & FLANGES

# FITTINGS ASTM A234

*Carbon steel and alloy steel fittings*

---

<b>USE</b>	Moderate and high temperature service
<b>STEEL GRADE</b>	WPB – WPC – WP5 – WP9 – WP11 – WP22 – WP91
<b>PROCESSING</b>	<ul style="list-style-type: none"><li>➤ Seamless</li><li>➤ Welded</li></ul>
<b>TOLERANCES</b>	ASME B16.9
<b>DIMENSIONS</b>	ASME B36.10 / ASME B16.9 for Butt-Welding Fittings
<b>MARKING</b>	<p>All fittings shall have the prescribed information stamped or otherwise suitably marked on each fittings:</p> <p><b>BUTT-WELDING FITTINGS</b></p> <ul style="list-style-type: none"><li>➤ Manufacturer's name or trademark</li><li>➤ Schedule number or nominal wall thickness designation</li><li>➤ Size</li><li>➤ Fitting designation in accordance with Annex A1 of ASTM A234</li><li>➤ Heat number</li><li>➤ Specification designation</li><li>➤ Grade and class</li></ul>
<b>CERTIFICATION</b>	UNI EN 10204

# FITTINGS ASTM A420

*Carbon steel and alloy steel fittings*

---

<b>USE</b>	Low temperature service
<b>STEEL GRADE</b>	WPL6
<b>PROCESSING</b>	<ul style="list-style-type: none"><li>➤ Seamless</li><li>➤ Welded</li></ul>
<b>TOLERANCES</b>	ASME B16.9
<b>DIMENSIONS</b>	ASME B36.10 / ASME B16.9 for Butt-Welding Fittings
<b>MARKING</b>	<p>All fittings shall have the prescribed information marked by any method which will permanently identify the fittings:</p> <p><b>BUTT-WELDING FITTINGS</b></p> <ul style="list-style-type: none"><li>➤ Manufacturer's name or trademark</li><li>➤ Material designation or grade</li><li>➤ Schedule number or nominal wall thickness</li><li>➤ Heat number</li><li>➤ Certifying organization's name or symbol</li><li>➤ Size</li></ul>
<b>CERTIFICATION</b>	UNI EN 10204

# FITTINGS ASTM A403

*Stainless steel fittings*

---

<b>USE</b>	Pressure piping applications
<b>STEEL GRADE</b>	WP304/304L – WP316/316L – WP321/321H - TP347/TP347H
<b>PROCESSING</b>	<ul style="list-style-type: none"><li>➤ Seamless</li><li>➤ Welded</li></ul>
<b>TOLERANCES</b>	ASME B16.9
<b>DIMENSIONS</b>	ASME B36.19 / ASME B16.9 for Butt-Welding Fittings
<b>MARKING</b>	<p>All fittings shall have the prescribed information stamped or otherwise suitably marked on each fittings:</p> <p><b>BUTT-WELDING FITTINGS</b></p> <ul style="list-style-type: none"><li>➤ Manufacturer's name or trademark</li><li>➤ Schedule number or nominal wall thickness</li><li>➤ Size</li><li>➤ Grade and class</li><li>➤ Heat number</li><li>➤ Specification designation</li><li>➤ Certifying organization's name or symbol</li></ul>
<b>CERTIFICATION</b>	UNI EN 10204

# FITTINGS ASTM A860

*High Strength Low Alloy Steel Fittings*

---

<b>USE</b>	High-pressure gas and oil transmission and distribution systems
<b>STEEL GRADE</b>	WPHY52
<b>PROCESSING</b>	<ul style="list-style-type: none"><li>➤ Seamless</li><li>➤ Welded</li></ul>
<b>TOLERANCES</b>	ASME B16.9
<b>DIMENSIONS</b>	ASME B36.19 / ASME B16.9
<b>MARKING</b>	<p>All fittings shall have the prescribed information stamped or otherwise suitably marked on each fittings:</p> <ul style="list-style-type: none"><li>➤ Manufacturer's name or trademark</li><li>➤ Specification number</li><li>➤ Grade symbol</li><li>➤ Size and nominal wall thickness</li><li>➤ Heat number</li></ul>
<b>CERTIFICATION</b>	UNI EN 10204

# FLANGES AND FORGED FITTINGS ASTM A105

*Forged carbon steel piping components*

---

<b>USE</b>	Ambient and higher temperature service in pressure systems
<b>PROCESSING</b>	Forged
<b>TOLERANCES</b>	ASME B16.5
<b>DIMENSION</b>	ASME B16.5 and ANSI B 16.11 Threads if applicable as per ANSI B1.20.1 ( NPT)
<b>MARKING</b>	Each piece shall be legibly marked with the following information: <ul style="list-style-type: none"><li>➤ Specification number</li><li>➤ Grade and class</li><li>➤ Certifying organization's name or symbol</li><li>➤ Heat number</li><li>➤ Size -Service rating ( if applicable)</li></ul>
<b>CERTIFICATION</b>	UNI EN 10204

# FLANGES ASTM A350

*Carbon and alloy steel flanges*

---

<b>USE</b>	Low temperature service
<b>STEEL GRADE</b>	LF2
<b>PROCESSING</b>	Forged
<b>TOLERANCES</b>	ASME B16.5
<b>DIMENSIONS</b>	ASME B16.5
<b>MARKING</b>	Each piece shall be legibly marked with the following information: <ul style="list-style-type: none"><li>➤ Specification number</li><li>➤ Grade and class</li><li>➤ Certifying organization's name or symbol</li><li>➤ Heat number</li><li>➤ Size</li><li>➤ Service rating ( if applicable)</li><li>➤ Manufacturer's name</li></ul>
<b>CERTIFICATION</b>	UNI EN 10204

# FLANGES ASTM A182

*Alloy and stainless steel flanges*

---

<b>USE</b>	High temperature service
<b>STEEL GRADE</b>	F5 – F9 – F11 – F22 – F91 – F304/F304L – F316/F316L – F321/F321H
<b>PROCESSING</b>	Forged
<b>TOLERANCES</b>	ASME B16.5
<b>DIMENSIONS</b>	ASME B16.5
<b>MARKING</b>	Each piece shall be legibly marked with the following information: <ul style="list-style-type: none"><li>➤ Specification number</li><li>➤ Grade and class</li><li>➤ Certifying organization's name or symbol</li><li>➤ Heat number</li><li>➤ Size</li><li>➤ Service rating ( if applicable)</li><li>➤ Manufacturer's name</li></ul>
<b>CERTIFICATION</b>	UNI EN 10204



The data reported in this catalogue are for reference purpose only  
T.A.L. Group reserves the right to modify without notice the information here contained  
The technical department is at your disposal for any further technical and regulatory clarification.